


Harb Production Services

Contact: Dan Harb

danharb@comcast.net

865-523-1073

865-368-4272



LANCE Full Digital 53' Expando

VIDEO SWITCHER

Grass Valley Kalypso Switcher

64 inputs, 4 M/E, 6 DPM's

ROUTING SYSTEM

Pesa Jaguar 64x64 Serial Digital Router

Pesa Cougar 64x128 Analog Video Router

VIDEO

10 DPS 475 10 bit Frame Syncs/Converters

8 SONY CCU700A CCU's

8 SONY RCP720 Remote Control Panels

1 SONY MSU750 Camera Master Camera Control Unit

STILLSTORE

Kalypso Internal Stillstore

GRAPHICS

Chyron HyperX2 , Lyric Pro Software

CAMERAS & LENSES

5 Sony BVP-900WS Hard Cameras
3 Sony BVP-950WS Cameras
5 Canon 55 x 9.5 mm lenses w/ 2X extender
2 Sony DXC-950 POV cameras

CAMERA SUPPORT

5 Vinten Vector 70s
5 Mathews Tripods
3 Vinten Vision 5 ENGTripods

VIDEOTAPE & SLO-MO CONTROLLERS*

1 6-Channel EVS XT-2 Machine (4 in, 2 out)
1 4-Channel EVS XT RO (2 in, 2 out)
4 Sony DSR-D1000 Disk recorders w/DNF Controllers
2 Sony DigiBeta recorder/players
2 Sony Beta SP recorder/player/editor
2 DVD/VHS Recorders
1 Omega Fast Forward with Lance Controller

AUDIO

YAMAHA M7CL

- 48 mono and 4 stereo inputs (a total of 56 mixing channels), 16 mix buses, LCR bus, 8 matrix channels, and 8 DCAs.
- 8 assignable omni inputs and outputs, and 3 Mini-YGDAI card slots.
- Virtual effect and EQ rack: up to 4 simultaneous multi-effect processors; up to 8 simultaneous 31-band graphic EQs.
- Centralogic interface: central, logical, and intuitive.

Dual power supplies: built in power supply, and external PW800W power supply

2 DBX 160 compressors 2 Digicart II Plus 64x64 Stereo audio router

COMMUNICATIONS

Telex ADAM Digital Matrix Intercom System
8 Channel Telex 828 IFB System
4 Telex TIF Intercom Interfaces
12 RTS BP325 Belt Packs
10 RTS 4030 IFB Belt Packs
12 Beyer DT108 Single Muff Headset
12 Beyer DT109 Dual Muff Headsets
24 Lightweight Single Muff Headsets
4 Clear Com TEL14 Hybrid Phone Coupler/QKT

PRODUCTION AREA

PRODUCER / DIRECTOR / TD CONSOLE INCLUDES:

72-9 inch video monitor wall
2-20 inch color Program/Preset digital monitors
3 KP 32 Intercom Stations for Producer, Director, and Technical Director
1 32x4 Router control panel for Producer, for Iso 1, Iso2
2-4 Channel CUE Amp/Speaker (director's position & producer's position)
Telephone, fax and data ports available

GRAPHICS CONSOLE INCLUDES:

2- 9 Monitor for CG 1 and CG 2 Edit

17" VGA Monitor